

#### **TECHNICAL REPORT BRL-TR-3196**

# BRL

TEMPERATURE MEASUREMENTS OF ET PLASMAS USING ATOMIC EMISSION SPECTROSCOPY

STEVEN W. BUNTE RICHARD A. BEYER ALEXANDER E. ZIELINSKI

FEBRUARY 1991



APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

U.S. ARMY LABORATORY COMMAND

BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND

#### **NOTICES**

Destroy this report when it is no longer needed. DO NOT return it to the originator.

Additional copies of this report may be obtained from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Road, Springfield, VA 22161.

The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The use of trade names or manufacturers' names in this report does not constitute indorsement of any commercial product.

## UNCLASSIFIED

	UMENTATION P		Form Approved OMB No. 0704-0188
collection of information, including suggestions for re Davis Highway, Suite 1294, Arlington, VA 22202-4302	ducing this burden, to Washington He and to the Office of Management and	resome, including the time for information. Send comments re- adquarters Services. Directorate I I Budget, Paperwork Reduction Pr	reviewing instructions, searching existing data source garding this burden extinute or any other espect of it for information Coercins and Reserva, 1215 Jeffers reject (0704-0188), Washington, DC 20593.
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE February 1991	3. REPORT TYPE AS Final 1 No	ND DATES COVERED DV 88 - 24 May 89
A TITLE AND SUBTITLE TEMPERATURE MEASUREMENTS ATOMIC EMISSION SPECTROSC		3	S. FUNDING NUMBERS
Steven W. Bunte, Richard Alexander E. Zielinski	A. Beyer,		1L162618AH80
7. PERFORMING ORGANIZATION NAME	(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING / MONITORING AGENCY	,	3)	10. SPONSORING / MONITORING AGENCY REPORT NUMBER
Ballistic Research Labora ATTN: SLCBR-DD-T Aberdeen Proving Ground,			BRL-TR-3196
11. SUPPLEMENTARY NOTES Published in Proceedings,	1989 JANNAF Combu	stion Meeting.	
12a. DISTRIBUTION / AVAILABILITY STAT	EMENT	<del></del>	12b. DISTRIBUTION CODE
Approved for public releadistribution unlimited	se;		
13. ABSTRACT (Maximum 200 words)  We report here the result electrothernal gun plasmas laboratory scale plasmas	as using atomic emi	ssion spectrosco	opy. Work to date on
<b>14. SUNIECT TERMS</b> Plasma, Temperature, Hea	surenent		15. NUMBER OF PAGES 18 16. PRICE CODE
OF REPORT	SECURITY CLASSIFICATION OF THIS PAGE classified	19. SECURITY CLASSIF OF ABSTRACT Unclassified	CATION 20. LIMITATION OF ABSTRAC

NSN 7540-01-280-5500 UNCLASSIFIED

Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. 239-18 296-102 INTENTIONALLY LEFT BLANK

### TABLE OF CONTENTS

		PAGE
	LIST OF FIGURES	<b>v</b>
	ACKNOWLEDGEMENT	. vii
I.	INTRODUCTION	1
п.	THEORY	1
ш.	EXPERIMENTAL	2
IV.	RESULTS	3
V.	DISCUSSION	4
VI.	FUTURE STUDIES	6
	REFERENCES	7
	DISTRIBUTION LIST	9

	5110	one)
Acces	sion For	1
DTIC Unann	GRA&I TAB ounced fication	
'		
By Distr	ibution/	
Avai	lability	Codes
Dist	Avail and Special	
h .		i

INTENTIONALLY LEFT BLANK

## LIST OF FIGURES

Figur	<u>E</u>	<u>P</u>	AGE
1	Experimental Layout		2
2	Capillary Assembly		2
3	Typical Spectrum of Plasma Emission		3
4	Plot of In (Ll/gA) vs. Upper State Energy		4
5	Example of Self-Absorption Occurring in Observed Spectrum		5

INTENTIONALLY LEFT BLANK

### **ACKNOWLEDEMENT**

The authors wish to acknowledge Dr. Nissan Spector, NIST, for many useful discussions during the course of this work.

INTENTIONALLY LEFT BLANK

#### I. INTRODUCTION

The electrothermal accelerator (ET gun) is an advanced propulsion technique in which an electrically generated high temperature, high pressure plasma interacts with a "working fluid" to produce the gases necessary to accelerate a projectile. In the development of ET technology, the characterization of the temperature and pressures generated by this plasma is critical for modeling of the ET process and ultimately, complete understanding of a fielded weapon system. We report here the results of an experimental effort aimed at determining the temperature of ET plasmas using atomic emission spectroscopy. The ultimate goal of this work is to develop a technique at the benchtop level that will be directly transferable to measuring the temperature in a large scale ET gun.

The preliminary approach we have taken is to seed the plasma with barium perchlorate (BaClO<sub>4</sub>) and look at the emission from the barium atoms in the plasma. The excitation energies, degeneracies, and oscillator strengths of the different barium transitions necessary to determine the temperature of the plasma are readily available in the open literature. Before discussing the experimental details and results, a brief description of the theory involved is presented.

#### II. THEORY

The Boltzmann equation (Eq. 1) relates the number of atoms populating a given energy level to the total population as a function of temperature

$$\frac{N}{N_T} = \frac{ge^{-E/kT}}{u} \tag{1}$$

where N is the number of atoms with energy E, g is the number of states at this energy (degeneracy), k is Boltzmann's constant and T is the absolute temperature (K). Using Eq. 1, the intensity I, of a spectral line can be written

$$I = \frac{ge^{-E/kT}}{\mu} h_{\nu} N_{T} A \tag{2}$$

assuming the emitter follows a Boltzmann energy distribution. In Eq. 2, u is the partition function for the particular atom, h is Planck's constant,  $\nu$  is the frequency of the line, and A is the Einstein transition probability for emission.

For a given spectrum, a plot of  $\ln (L^2/gA)$  versus E, where  $\lambda = 1/\nu$ , yields a straight line whose slope is equal to -1/kT, again assuming a Boltzmann distribution in the populations. This treatment implies that the emitting material is in local thermodynamic

equilibrium with the surrounding plasma, and the temperature is constant throughout the observed region.

#### III. EXPERIMENTAL

The experimental layout for measuring the temperature of the plasma is shown in

Figure 1. The light emitted from the plasma is collected by a fiber optic bundle. One end of the bundle is inserted into the plasma and the other end is placed at the entrance slit of a 1 m spectrometer. The bundle consists of 37 fibers of uv-grade fused silica, each 240 micrometers in diameter. The fiber optic bundle was used so that the interior portion of the plasma would be probed. If lenses had been used to image the plasma emission on to the entrance slit of the




Figure 1 Experimental Layout

spectrometer, detected emission may come only from the outer edge of the plasma due to its high optical density. The light is dispersed by a 300 gr/mm grating and detected by a Princeton Applied Research, Inc. (PAR) model 1420 intensified photodiode array (OMA). The OMA has 700 intensified elements, which provides a spectral coverage of approximately 560Å with a resolution of 2Å. The OMA is interfaced to a 20 MHz 80386 microcomputer through a PAR model 1461 detector controller. The acquired data is stored on the microcomputer for future data analysis and plotting.

The capillary assembly is shown in Figure 2. The capillary consists of a polyethylene rectangular bar, 75 mm long x 10 mm square, that has a 4 mm diameter hole bored axially through the bar. A 0.1143 mm diameter aluminum wire is threaded through the polyethylene. At one end of the polyethylene, a stainless steel electrode (cathode) is inserted, with contact made between the aluminum wire




Figure 2. Capillary Assembly

and the electrode. At the other end of the polyethylene, a few crystals of barium perchlorate (BaClO<sub>4</sub>) are inserted. These crystals serve as the barium source for measuring the temperature spectroscopically. The free end of the aluminum wire is then fed through a 4 mm hole in a graphite block and bent over the top of the graphite, as shown in Figure 2. The graphite block serves as the negative electrode (anode). A G-11 housing is installed around the polyethylene assembly. The entire capillary is then inserted into a steel housing, which is bolted together. This insures that electrical contact is made between the graphite electrode, the aluminum wire, the lead contact in the G-11, and the steel housing. The lines from the power supply are connected to the rear electrode and the steel housing, thus forming a complete circuit. The 675 I power supply

contains a 3 stage pulse forming network (PFN) for tailoring the shape of the current pulse delivered to the capil' ry. In all of the experiments performed to date, the power supply was charged to 2000 volts. Approximately 2000 amperes of peak current is delivered to the capillary in a pulse of 300 microseconds duration. Figure 2 shows the region of the plasma typically probed, which is axially located approximately 90 mm from the end of the polyethylene tube.

#### IV. RESULTS

Figure 3 show a typical spectrum of the plasma emission. In this spectrum, the spectrometer was centered at 4709Å. The four transitions labeled are emission lines from the barium ion (BaII). Table 1 lists the spectroscopic quantities 1 of the observed transitions needed to calculate the temperature. The intensities are the measured peak heights from the baselines shown in Figure 3.




Figure 3. Typical Spectrum of Plasma Emission. Labeled transitions are barium ion (Ball) emission lines.

For this spectrum,  $\ln(I l/gA)$  is calculated for each transition and plotted versus the upper state energy of each transition. This plot is shown in Figure 4. The straight line shown is a least squares fit to the data points. The calculated temperature from this data is 15,318 K (kT=1.32 eV). Theoretical calculations of the plasma temperature using a one-dimensional steady state plasma discharge model<sup>2</sup> indicate temperatures within the polyethylene tube to be approximately 15,000 K.

Ta	able 1. Spectr	oscopic Para	meters of Obs	served Tr	ransitions
Peak	Wavelengt h (Å) (air)	Intensity (mm)	Energy (eV)	g	A (10 <sup>8</sup> s <sup>-1</sup> )
1 2 3 4	4934.09 4899.96 4554.03 4524.93	81.5 5.5 99.0 11.0	2.51 5.25 2.72 5.25	2 2 4 2	0.955 1.2 1.19 0.72




Figure 4. Plot of  $\ln (IJ/gA)$  vs. Upper State Energy. The solid line is a linear least squares fit through the data points.

#### V. DISCUSSION

There are several sources of error that need to be addressed when making this type of measurements. The first of these is the problem of self-absorption. Self-absorption occurs when an atom emits light that is subsequently absorbed by another atom of the same element. This phenomenon can be readily seen in Figure 5, where a "valley" is seen in the middle of the peaks marked with an asterisk. In our work, self-absorption was most obvious in the first shot after seeding the plasma with the barium salt. Therefore, several shots were fired, without reseeding the plasma, in an attempt to lower the barium

concentration in the capillary. This seemed to be effective in minimizing the self-absorption problem, as evidenced by the lack of a "valley" in the peaks in Figure 3. While the lack of a "valley" doesn't suggest definitively that self-absorption is not occurring, it does prove that the self-absorption problem has been reduced.




Figure 5. Example of Self-Absorption Occurring in Observed Spectrum. The asterisks indicate self-absorbed transitions.

The second problem concerns the low number of barium transitions we are able to see at one time due to the number of intensified elements in our detector and the resolution of our spectrometer. Ideally, one would like hundreds of transitions to be seen in one spectrum, so that the fitted temperature would be better determined. In addition, errors in the spectroscopic constants, particularly the A values, would be averaged out. Variations among different references<sup>3</sup> can amount to factors of 2, 3, and in a few cases, even 10. Since we can only see 4 lines in one spectrum, any errors in the A values reported will translate into an erroneous temperature calculation.

The final potential source of error involves assigning a baseline for determining the intensity of the observed transition. As can be seen in Figure 3, a large continuum is observed below the transitions. Assigning the correct baseline, therefore, is quite difficult. Any errors in our assignment will effect the calculated temperature.

#### VI. FUTURE STUDIES

As discussed earlier, the ideal situation is to calculate the temperature from many transitions occurring from the same material. We plan to temporarily remove the OMA system and insert a film holder in its place to record the spectrum on photographic film. This arrangement should provide a spectral coverage on the order of 2500Å with the 300 gr/mm grating. By increasing the spectral coverage by approximately five times over what is currently available, we should be able to observe many more transitions, thus allowing us to compare our results with the OMA system with the temperature calculated from a larger data set.

Another area to be investigated involves gating the OMA detector after the aluminum wire has exploded. This would allow measurement of the plasma temperature during a specified time interval, rather than the time integrated approach currently pursued. Once the gating of the OMA has been mastered, we also plan to do absorption studies using a pulsed flashlamp as a radiation source.

#### **REFERENCES**

- 1. B.M. Miles and W.L. Wiese, "Critical Evaluation of Transition Probabilities for BaI and BaII," <u>Atomic Data</u>, Vol. I, p. 1-17, 1969.
- 2. J. Powell, BRL, Private communication.
- 3. N. Spector, J. Levinson, B. Brill, A. Loeb, D. Kimchi, J. Gerasi, and Z. Kaplan, "Spectroscopic Measurements of the Characteristics of Free Jet Plasma," Soreq Nuclear Research Center, February 1987.

INTENTIONALLY LEFT BLANK

- 2 Administrator Defense Technical Info Center ATTN: DTIC-DDA Cameron Station Alexandria, VA 22304-6145
- 1 HQDA (SARD-TR) WASH DC 20310-0001
- 1 Commander
  US Army Materiel Command
  ATTN: AMCD□A-ST
  5001 Eisenhower Avenue
  Alexandria, VA 22333-0001
- 1 Commander
  US Army Laboratory Command
  ATTN: AMSLC-DL
  Adelphi, MD 20783-1145
- 2 Commander US Army, ARDEC ATTN: SMCAR-IMI-I Picatinny Arsenal, NJ 07806-5000
- 2 Commander US Army, ARDEC ATTN: SMCAR-TDC Picatinny Arsenal, NJ 07806-5000
- Director Benet Weapons Laboratory US Army, ARDEC ATTN: SMCAR-CCB-TL Watervliet, NY 12189-4050
- 1 Commander US Army Armament, Munitions and Chemical Command ATTN: SMCAR-ESP-L Rock Island, IL 61299-5000
- 1 Director
  US Army Aviation Research
  and Technology Activity
  ATTN: SAVRT-R (Library)
  M/S 219-3
  Ames Research Center
  Moffett Field, CA 94035-1000

# No of Copies Organization

- 1 Commander
  US Army Missile Command
  ATTN: AMSMI-RD-CS-R (DOC)
  Redstone Arsenal, AL 35898-5010
- 1 Commander
  US Army Tank-Automotive Command
  ATTN: AMSTA-TSL (Technical Library)
  Warren, MI 48397-5000
- Director
  US Army TRADOC Analysis Command ATTN: ATRC-WSR
  White Sands Missile Range, NM 88002-5502
- (Class. only) 1 Commandant
  US Army Infantry School
  ATTN: ATSH-CD (Security Mgr.)
  Fort Benning, GA 31905-5660
  - Commandant
    US Army Infantry School
    ATTN: ATSH-CD-CSO-OR
    Fort Benning, GA 31905-5660
  - Air Force Armament Laboratory ATTN: AFATL/DLODL Eglin AFB, FL 32542-5000

#### Aberdeen Proving Ground

- 2 Dir, USAMSAA ATTN: AMXSY-D AMXSY-MP, H. Cohen
- 1 Cdr, USATECOM ATTN: AMSTE-TD
- 3 Cdr, CRDEC, AMCCOM ATTN: SMCCR-RSP-A SMCCR-MU SMCCR-MSI
- 1 Dir, VLAMO ATTN: AMSLC-VL-D

(Unclass. only) 1

4 Commander

US Army Research Office

ATTN: R. Ghirardelli

D. Mann

R. Singleton

R. Shaw

P.O. Box 12211

Research Triangle Park, NC

27709-2211

2 Commander

US Army, ARDEC

ATTN: SMCAR-AEE-B,

D. S. Downs

SMCAR-AEE, J. A. Lannon

Picatinny Arsenal, NJ 07806-5000

1 Commander

US Army, ARDEC

ATTN: SMCAR-AEE-BR, L. Harris

Picatinny Arsenal, NJ 07806-5000

1 Office of Naval Research

Department of the Navy

ATTN: R. S. Miller, Code 432

800 N. Quincy Street

Arlington, VA 22217

1 Commander

Naval Air Systems Command

ATTN: J. Ramnarace, AIR-54111C

Washington, DC 20360

1 Commander

Naval Surface Warfare Center

ATTN: J. L. East, Jr., G-23

Dahlgren, VA 22448-5000

2 Commander

Naval Surface Warfare Center

ATTN: R. Bernecker, R-13

G. B. Wilmot, R-16

Silver Spring, MD 20903-5000

### No. of

#### Copies Organization

5 Commander

Naval Research Laboratory

ATTN: M. C. Lin

J. McDonald

E. Oran

J. Shnur

R. J. Doyle, Code 6110

Washington, DC 20375

1 Commanding Officer

Naval Underwater Systems Center

Weapons Department

ATTN: R. S. Lazar/Code 36301

Newport, RI 02840

2 Commander

**Naval Weapons Center** 

ATTN: T. Boggs, Code 388

T. Parr, Code 3895

China Lake, CA 93555-6001

1 Superintendent

Naval Postgraduate School

Dept. of Aeronautics

ATTN: D. W. Netzer

Monterey, CA 93940

3 AL/LSCF

ATTN: R. Corley

R. Geisler

J. Levine

Edwards AFB, CA 93523-5000

1 AL/MKPB

ATTN: B. Goshgarian

Edwards AFB, CA 93523-5000

1 AFOSR

ATTN: J. M. Tishkoff

Bolling Air Force Base

Washington, DC 20332

1 OSD/SDIO/IST

ATTN: L. Caveny

Pentagon

Washington, DC 20301-7100

- 1 Commandant USAFAS ATTN: ATSF-TSM-CN Fort Sill, OK 73503-5600
- 1 F.J. Seiler ATTN: S. A. Shackleford USAF Academy, CO 80840-6528
- University of Dayton Research Institute
   ATTN: D. Campbell
   AL/PAP
   Edwards AFB, CA 93523
- NASA

   Langley Research Center
   Langley Station
   ATTN: G. B. Northam/MS 168
   Hampton, VA 23365
- 4 National Bureau of Standards
  ATTN: J. Hastie
  M. Jacox
  T. Kashiwagi
  H. Semerjian
  US Department of Commerce
  Washington, DC 20234
- Aerojet Solid Propulsion Co. ATTN: P. Micheli Sacramento, GA 95813
- Applied Combustion Technology, Inc.
   ATTN: A. M. Varney
   P.O. Box 607885
   Orlando, FL 32860
- Applied Mechanics Reviews
   The American Society of Mechnical Engineers
   ATTN: R. E. White
   A. B. Wenzel

   345 E. 47th Street
   New York, NY 10017

- 1 Atlantic Research Corp. ATTN: M. K. King 5390 Cherokee Avenue Alexandria, VA 22314
- 1 Atlantic Research Corp. ATTN: R. H. W. Waesche 7511 Wellington Road Gainesville, VA 22065
- 1 AVCO Everett Research
  Laboratory Division
  ATTN: D. Stickler
  2385 Revere Beach Parkway
  Everett, MA 02149
- Battelle Memorial Institute Tactical Technolgoy Center ATTN: J. Huggins 505 King Avenue Columbus, OH 43201
- Cohen Professional ServicesATTN: N. S. Cohen141 Channing StreetRedlands, CA 92373
- Exxon Research & Eng. Co. ATTN: A. Dean Route 22E Annandale, NJ 08801
- 1 Ford Aerospace and Communications Corp. DIVAD Division Div. Hq., Irvine ATTN: D. Williams Main Street & Ford Road Newport Beach, CA 92663
- 1 General Applied ScienceLaboratories, Inc.77 Raynor AvenueRonkonkama, NY 11779-6649

- General Electric Ordnance Systems
   ATTN: J. Mandzy
   100 Plastics Avenue
   Pittsfield, MA 01203
- General Motors Rsch Labs
   Physics Department
   ATTN: T. Sloan
   R. Teets
   Warren, MI 48090
- Hercules, Inc.
   Allegheny Ballistics Lab.
   ATTN: W. B. Walkup
   E. A. Yount
   P.O. Box 210
   Rocket Center, WV 26726
- 1 Alliant Techsystems, Inc.
  Marine Systems Group
  ATTN: D. E. Broden/
  MS MN50-2000
  600 2nd Street NE
  Hopkins, MN 55343
- 1 Alliant Techsystems, Inc. ATTN: R. E. Tompkins MN38-3300 5700 Smetana Drive Minnetonka, MN 55343
- 1 IBM Corporation ATTN: A. C. Tam Research Division 5600 Cottle Road San Jose, CA 95193
- 1 IIT Research Institute ATTN: R. F. Remaly 10 West 35th Street Chicago, IL 60616

- Director

   Lawrence Livermore National
   Laboratory

   ATTN: C. Westbrook

   M. Costantino
   P.O. Box 808
   Livermore, CA 94550
- 1 Lockheed Missiles & Space Co. ATTN: George Lo 3251 Hanover Street Dept. 52-35/B204/2 Palo Alto, CA 94304
- 1 Los Alamos National Laboratory
  ATTN: B. Nichols
  T7, MS-B284
  P.O. Box 1663
  Los Alamos, NM 87545
- National Science Foundation ATTN: A. B. Harvey Washington, DC 20550
- 1 Olin Ordnance ATTN: V. McDonald, Library P.O. Box 222 St. Marks, FL 32355-0222
- 1 Paul Gough Associates, Inc. ATTN: P. S. Gough 1048 South Street Portsmouth, NH 03801-5423
- Princeton Combustion
   Research Laboratories, Inc.
   ATTN: M. Summerfield
   N. A. Messina
   475 US Highway One
   Monmouth Junction, NJ 08852
- Hughes Aircraft CompanyATTN: T. E. Ward8433 Fallbrook WardCanoga Park, CA 91303

- Rockwell International Corp.
   Rocketdyne Division
   ATTN: J. E. Flanagan/HB02
   6633 Canoga Avenue
   Canoga Park, CA 91304
- 4 Sandia National Laboratories
  Division 8354

ATTN: R. Cattolica

- S. Johnston
- P. Mattern
- D. Stephenson

Livermore, CA 94550

- Science Applications, Inc.
   ATTN: R. B. Edelman
   23146 Cumorah Crest
   Woodland Hills, CA 91364
- 3 SRI International

ATTN: G. Smith

- D. Crosley
- D. Golden

333 Ravenswood Avenue Menlo Park, CA 94025

- 1 Stevens Institute of Tech.
  Davidson Laboratory
  ATTN: R. McAlevy, III
  Hoboken, NJ 07030
- Sverdrup Technology, Inc.
   LERC Group
   ATTN: R. J. Locke, MS SVR-2
   2001 Aerospace Parkway
   Brook Park, OH 44142
- 1 Thiokol Corporation Elkton Division ATTN: S. F. Palopoli P.O. Box 241 Elkton, MD 21921
- 1 Thiokol Corporation
  Huntsville Division
  ATTN: J. Deur
  Huntsville, AL 35807-7501

- 3 Thiokol Corporation
  Wasatch Division
  ATTN: S. J. Bennett
  P.O. Box 524
  Brigham City, UT 84302
- United Technologies Research Center
   ATTN: A. C. Eckbreth
   East Hartford, CT 06108
- 3 United Technologies Corp.
  Chemical Systems Division
  ATTN: R. S. Brown
  T. D. Myers (2 copies)
  P.O. Box 49028
  San Jose, CA 95161-9028
- Universal Propulsion Company ATTN: H. J. McSpadden Black Canyon Stage 1 Box 1140 Phoenix, AZ 85029
- Veritay Technology, Inc.
  ATTN: E. B. Fisher
  4845 Millersport Highway
  P.O. Box 305
  East Amherst, NY 14051-0305
- 1 Brigham Young University Dept. of Chemical Engineering ATTN: M. W. Beckstead Provo, UT 84058
- 1 California Institute of Tech.
  Jet Propulsion Laboratory
  ATTN: L. Strand, MS 512/102
  4800 Oak Grove Drive
  Pasadena CA, 91109
- 1 California Institute of Technology ATTN: F. E. C. Culick/MC 301-46 204 Karman Lab. Pasadena, CA 91125

- University of California
   Los Alamos Scientific Lab.
   P.O. Box 1663, Mail Stop B216
   Los Alamos, NM 87545
- University of California, Berkeley Chemistry Department
   ATTN: C. Bradley Moore
   211 Lewis Hall
   Berkeley, CA 94720
- 1 University of Calfornia, San Diego ATTN: F. A. Williams AMES, B010 La Jolla, CA 92093
- University of California,
   Santa Barbara
   Quantum Institute
   ATTN: K. Schofield
   M. Steinberg
   Santa Barbara, CA 93106
- University of Colorado at Boulder Engineering Center ATTN: J. Daily Campus Box 427 Boulder. CO 80309-0427
- University of Southern California
   Dept. of Chemistry
   ATTN: S. Benson
   C. Wittig
   Los Angeles, CA 90007
- 1 Cornell University
  Department of Chemistry
  ATTN: T. A. Cool
  Baker Laboratory
  Ithaca, NY 14853
- 1 University of Delaware ATTN: T. Brill Chemistry Department Newark, DE 19711

- 1 University of Florida Dept. of Chemistry ATTN: J. Winefordner Gainesville, FL 32611
- 3 Georgia Institute of Technology School of Aerospace Engineering ATTN: E. Price W. C. Strahle B. T. Zinn Atlanta. GA 30332
- University of Illinois
   Dept. of Mech. Eng.
   ATTN: H. Krier
   144MEB, 1206 W. Green Street
   Urbana, IL 61801
- Johns Hopkins University/APL Chemical Propulsion Information Agency ATTN: T. W. Christian Johns Hopkins Road Laurel, MD 20707
- 1 University of Michigan
  Gas Dynamics Lab
  Aerospace Engineering Lab
  ATTN: G. M. Faeth
  Ann Arbor, MI 48109-2140
- University of Minnesota Dept. of Mechanical Engineering ATTN: E. Fletcher Minneapolis, MN 55455
- Pennsylvania State University
  Applied Research Laboratory
  ATTN: K. K. Kuo
  H. Palmer
  M. Micci
  University Park, PA 16802
- Pennsylvania State University
  Dept. of Mechanical Engineering
  ATTN: V. Yang
  University Park, PA 16802

- 1 Polytechnic Institute of NY Graduate Center ATTN: S. Lederman Route 110 Farmingdale, NY 11735
- Princeton University
  Forrestal Campus Library
  ATTN: K. Brezinsky
  I. Glassman
  P.O. Box 710
  Princton, NJ 08540
- 1 Purdue University
  School of Aeronautics and
  Astronautics
  ATTN: J. R. Osborn
  Grissom Hall
  West Lafayette, IN 47906
- 1 Purdue University
  Department of Chemistry
  ATTN: E. Grant
  West Lafayette, IN 47906
- Purdue University
  School of Mechanical Engineering
  ATTN: N. M. Laurendeau
  S. N. B. Murthy
  TSPC Chaffee Hall
  West Lafayette, IN 47906
- 1 Rensselaer Polytechnic Inst. Dept. of Chemical Engineering ATTN: A. Fontijn Troy, NY 12181
- 1 Stanford University
  Dept. of Mechanical Engineering
  ATTN: R. Hanson
  Stanford, CA 94305
- University of Texas Dept. of Chemistry ATTN: W. Gardiner Austin, TX 78712

- University of Utah Dept. of Chemical Engineering ATTN: G. Flandro Salt Lake City, UT 84112
- 1 Virginia Polytechnic Institute and State University ATTN: J. A. Schetz Blacksburg, VA 24061
- Freedman Associates
   ATTN: E. Freedman
   2411 Diana Road
   Baltimore, MD 21209-1525

INTENTIONALLY LEFT BLANK.

#### USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts. 1. BRL Report Number BRL-TR-3196 Date of Report FEBRUARY 1991 2. Date Report Received \_\_\_\_\_ 3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) 4. Specifically, how is the report being used? (Information source, design data, procedure, source of ideas, etc.) 5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided, or efficiencies achieved, etc? If so, please elaborate. "6:" General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) 9450 ag = 40 CAME TO SE The state of the s AND AND ASSESSMENT Name **CURRENT** Organization **ADDRESS** Address City, State, Zip Code 7. If indicating a Change of Address or Address Correction, please provide the New or Correct Address in Block 6 above and the Old or Incorrect address below. Name OLD Organization **ADDRESS** Address

(Remove this sheet, fold as indicated, staple or tape closed, and mail.)

City, State, Zip Code

DEPARTMENT OF THE ARMY Director  J.S. Army Ballistic Research Laboratory ATTN: SLCBR-DD-T Aberdeen Proving Ground, MD 210x -5066 OFFICIAL BUSINESS	FOLD HERE	
	BUSINESS REPLY MAIL FIRST CLASS PERMIT No 0001, APG, MD	
	POSTAGE WILL BE PAID BY ADDRESSEE	
	Director U.S. Army Ballistic Research Laboratory ATTN: SLCBR-DD-T Aberdeen Proving Ground, MD 21005-9989	
	FOLD HERE	

.

. .